



## SAFETY DATA SHEET EXTRA GLOSS PROTECTION

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

<b>Product name</b>	EXTRA GLOSS PROTECTION
<b>Product number</b>	EGP100/N, EGP325, EGP325CA, EGP325IS, EGP325JAP, EGP325NL/F, EGP325SCAN, EGP325SP/P, EGP325SW/F, EGP325VW, EGP500, EGP500/50, EGP500AU, EGP500NL/F, VP3PB, VP3SB, VP3SBCA, VP3SBSCAN, VP3SBSW/F, EGP100CN
<b>Internal identification</b>	No.1/SOL/15103

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Polish for use on motor vehicle bodies
------------------------	--

#### 1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	Autoglym Works Road Letchworth Herts SG6 1LU UK sds@autoglym.com
-----------------	--

#### 1.4. Emergency telephone number

<b>Emergency telephone</b>	+44 (0) 1462 489498 (24Hrs)
----------------------------	-----------------------------

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

<b>Physical hazards</b>	Flam. Liq. 3 - H226
<b>Health hazards</b>	STOT SE 3 - H336 Asp. Tox. 1 - H304
<b>Environmental hazards</b>	Not Classified

#### 2.2. Label elements

##### Pictogram



<b>Signal word</b>	Danger
--------------------	--------

<b>Hazard statements</b>	H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H336 May cause drowsiness or dizziness.
--------------------------	--

## EXTRA GLOSS PROTECTION

**Precautionary statements**

P102 Keep out of reach of children.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P261 Avoid breathing vapour/ spray.  
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P331 Do NOT induce vomiting.  
 P405 Store locked up.

**Contains** Naptha (Petroleum), Hydrotreated Heavy, HYDROCARBONS, C9 - C11, n-alkanes, isoalkanes, cyclics, <2% aromatics.

**Supplementary precautionary statements** P501 Dispose of contents/ container in accordance with national regulations.

### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

<b>Naptha (Petroleum), Hydrotreated Heavy</b>	<b>30-60%</b>
CAS number: 64742-48-9	EC number: 265-150-3
	REACH registration number: 01-2119486659-16-XXXX

<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Flam. Liq. 3 - H226	Carc. Cat. 2;R45 Muta. Cat. 2;R46 Xn;R65
STOT SE 3 - H336	
Asp. Tox. 1 - H304	

<b>HYDROCARBONS, C9 - C11, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics.</b>	<b>30-60%</b>
CAS number: —	EC number: 919-857-5
	REACH registration number: 01-2119463258-33-XXXX

<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Flam. Liq. 3 - H226	Carc. Cat. 2;R45 Muta. Cat. 2;R46 Xn;R65
STOT SE 3 - H336	
Asp. Tox. 1 - H304	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

**Ingestion** Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately.

**Skin contact** Wash skin thoroughly with soap and water or use an approved skin cleanser.

**Eye contact** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 15 minutes and get medical attention.

##### 4.2. Most important symptoms and effects, both acute and delayed

## EXTRA GLOSS PROTECTION

<b>Inhalation</b>	The product contains organic solvents. Vapours may cause drowsiness and dizziness. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
<b>Ingestion</b>	Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis. May cause discomfort. Nausea, vomiting. Diarrhoea.
<b>Skin contact</b>	Prolonged contact may cause redness, irritation and dry skin.
<b>Eye contact</b>	Irritation of eyes and mucous membranes.

### **4.3. Indication of any immediate medical attention and special treatment needed**

<b>Specific treatments</b>	Treat symptomatically.
----------------------------	------------------------

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

**Suitable extinguishing media** Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

### **5.2. Special hazards arising from the substance or mixture**

**Specific hazards** Flammable liquid and vapour. Vapours are heavier than air and may spread near ground and travel a considerable distance to a source of ignition and flash back.

**Hazardous combustion products** Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

### **5.3. Advice for firefighters**

**Protective actions during firefighting** Do not use water jet as an extinguisher, as this will spread the fire. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with skin, eyes and clothing. No smoking, sparks, flames or other sources of ignition near spillage. Avoid inhalation of vapours.

### **6.2. Environmental precautions**

**Environmental precautions** Do not allow to enter drainage system, surface or ground water. Prevent material from reaching sewage system, holes and cellars.

### **6.3. Methods and material for containment and cleaning up**

**Methods for cleaning up** Absorb small quantities with paper towels and evaporate in a safe place. Absorb spillage with non-combustible, absorbent material. No smoking, sparks, flames or other sources of ignition near spillage.

### **6.4. Reference to other sections**

**Reference to other sections** For personal protection, see Section 8.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

**Usage precautions** For personal protection, see Section 8.

## EXTRA GLOSS PROTECTION

**Advice on general occupational hygiene** Do not eat, drink or smoke when using this product. Provide eyewash station. Wash hands thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store at room temperature. Store in accordance with local regulations.

### 7.3. Specific end use(s)

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

#### Protective equipment



**Appropriate engineering controls** Avoid inhalation of vapours.

**Eye/face protection** Wear eye protection.

**Hand protection** Wear protective gloves. The breakthrough time for any glove material may be different for different glove manufacturers.

**Hygiene measures** Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Beige.
<b>Odour</b>	Organic solvents.
<b>pH</b>	Not applicable.
<b>Flash point</b>	~ 36°C Setaflash closed cup.
<b>Relative density</b>	~ 0.78
<b>Solubility(ies)</b>	Insoluble in water.
<b>Viscosity</b>	0.22 m <sup>2</sup> /s @ 40°C

### 9.2. Other information

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Under normal conditions of storage and use, no hazardous reactions will occur.

### 10.4. Conditions to avoid

## EXTRA GLOSS PROTECTION

**Conditions to avoid** Avoid heat, flames and other sources of ignition.

### 10.5. Incompatible materials

**Materials to avoid** Avoid contact with the following materials: Strong acids. Strong oxidising agents.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** None at ambient temperatures.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Aspiration hazard

**Aspiration hazard** May be harmful if swallowed and enters airways. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.

## SECTION 12: Ecological Information

### 12.1. Toxicity

**Toxicity** Not determined.

### 12.2. Persistence and degradability

**Phototransformation** Not determined.

**Stability (hydrolysis)** Not determined.

**Biodegradation** Expected to be readily biodegradable.

**Biological oxygen demand** Not determined.

### 12.3. Bioaccumulative potential

### 12.4. Mobility in soil

### 12.5. Results of PBT and vPvB assessment

### 12.6. Other adverse effects

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## SECTION 14: Transport information

### 14.1. UN number

**UN No. (ADR/RID)** 1263

**UN No. (IMDG)** 1263

**UN No. (ICAO)** 1263

**UN No. (ADN)** 1263

### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** PAINT RELATED MATERIAL

## EXTRA GLOSS PROTECTION

Proper shipping name (IMDG) PAINT RELATED MATERIAL

Proper shipping name (ICAO) PAINT RELATED MATERIAL

Proper shipping name (ADN) PAINT RELATED MATERIAL

### 14.3. Transport hazard class(es)

ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3

### Transport labels



### 14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ADN packing group	III
ICAO packing group	III

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

EmS	F-E, S-E
ADR transport category	3
Emergency Action Code	•3Y
Hazard Identification Number (ADR/RID)	30
Tunnel restriction code	(D/E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to

Annex II of MARPOL 73/78  
and the IBC Code

Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

### 15.2. Chemical safety assessment

## EXTRA GLOSS PROTECTION

### SECTION 16: Other information

<b>Revision date</b>	23/04/2015
<b>Revision</b>	2
<b>SDS number</b>	20883
<b>Hazard statements in full</b>	H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H336 May cause drowsiness or dizziness.
<b>Signature</b>	Daniel Higgs

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.